

## CONFIRMATION

### Nordic Ecolabelling of Floor coverings (v 6.4)

#### Ädelträtilja Anrökt Ek Hårdvaxolja

supplied by  
**Almedals Trägolvsaktiebolag**

RISE Research Institutes of Sweden AB received from Almedals Trägolvsaktiebolag a product sample which is representative of the manufactured product. It has been tested in accordance with relevant test method (ISO 16000-9), see test report 8P02728-03-5, dated 2018-08-22.

The test results prove that the product qualifies for **Nordic Ecolabelling of Floor coverings (v 6.4)** requirements in O33 Emissions from floor covering, by complying with:

	<b>TVOC</b> ( $\mu\text{g}/\text{m}^3$ )	<b>SVOC</b> ( $\mu\text{g}/\text{m}^3$ )	<b>Formaldehyd</b> ( $\mu\text{g}/\text{m}^3$ )
<b>Limit values after 28 days in wooden flooring</b>	<b><math>\leq 300</math></b>	<b><math>\leq 100</math></b>	<b><math>\leq 60</math></b>
<b>Test results</b>	<b><math>&lt; 10</math></b>	<b><math>&lt; 5</math></b>	<b><math>&lt; 5</math></b>

**RISE Research Institutes of Sweden AB**  
**Chemistry and Materials - Chemistry**

Maria Rådemar

**RISE Research Institutes of Sweden AB**

Postal address  
Box 857  
SE-501 15 BORÅS  
Sweden

Office location  
Brinellgatan 4  
SE-504 62 BORÅS

Phone / Fax / E-mail  
+46 10 516 50 00  
+46 33 13 55 02  
info@ri.se

This document may not be reproduced other than in full,  
except with the prior written approval of RISE.