CONFIRMATION

Nordic Ecolabelling of Floor coverings (v 6.4)

Industriparkett Design 2.0 Ask Hårdvaxoljad

supplied by
Almedals Trägolvsaktiebolag

RISE Research Institutes of Sweden AB received from Almedals Trägolvsaktiebolag a product sample which is representative of the manufactured product. It has been tested in accordance with relevant test method (ISO 16000-9), see test report 8P02728-07-5, dated 2018-08-22.

The test results prove that the product qualifies for **Nordic Ecolabelling of Floor coverings (v 6.4)** requirements in O33 Emissions from floor covering, by complying with:

	TVOC ($\mu g/m^3$)	**SVOC** ($\mu g/m^3$)	**Formaldehyd** ($\mu g/m^3$)
Limit values after 28 days in wooden flooring	**≤ 300**	**≤ 100**	**≤ 60**
Test results	**< 10**	**< 5**	**< 5**

RISE Research Institutes of Sweden AB
Chemistry and Materials - Chemistry

Signed by: Maria Rådemar
Reason: I am the author of this document
Date & Time: 2018-11-23 08:21:01 +01:00

Maria Rådemar

RISE Research Institutes of Sweden AB

Postal address
Box 857
SE-501 15 BORÅS
Sweden

Office location
Brinellgatan 4
SE-504 62 BORÅS

Phone / Fax / E-mail
+46 10 516 50 00
+46 33 13 55 02
info@ri.se

This document may not be reproduced other than in full, except with the prior written approval of RISE.