

# CONFIRMATION

## LEED v4

### Almedals Kubb Base – Rökt Lärk

supplied by  
**Almedals Trägolvsaktiebolag**

RISE Research Institutes of Sweden AB received from Almedals Trägolvsaktiebolag a product sample which is representative of the manufactured product. It has been tested in accordance with relevant test method (ISO 16000-9), see test report 9P06874-01, dated 2019-12-03.

The test results of the tested product prove that the product qualifies for LEED v4 emission requirement for projects outside the U.S. by complying with French Regulations on VOC, emission Class A+:

Volatile organic compound	Criteria emission Class A+ ( $\mu\text{g}/\text{m}^3$ )	Test Results ( $\mu\text{g}/\text{m}^3$ )
Toluene	< 300	< 5
Tetrachloroethylene	< 250	< 5
Ethylbenzene	< 750	< 5
Xylene (m, p, o-isomer mix)	< 200	< 5
2-Butoxyethanol	< 1000	< 5
Styrene	< 250	< 5
1,2,4-Trimethylbenzene	< 1000	< 5
1,4-Dichlorobenzene	< 60	< 5
Formaldehyde	< 10	< 5
Acetaldehyde	< 200	6
TVOC ( $\text{C}_6 - \text{C}_{16}$ )	< 1000	< 10

The emissions of the CMR substances Trichloroethylene, Benzene, DEHP and DBP are all less than  $1 \mu\text{g}/\text{m}^3$ .

**RISE Research Institutes of Sweden AB**  
Chemistry and Materials - Chemistry

Maria Rådemar

**RISE Research Institutes of Sweden AB**

Postal address  
Box 857  
SE-501 15 BORÅS  
Sweden

Office location  
Brinellgatan 4  
SE-504 62 BORÅS

Phone / Fax / E-mail  
+46 10 516 50 00  
+46 33 13 55 02  
info@ri.se

This document may not be reproduced other than in full, except with the prior written approval of RISE.