

CONFIRMATION

LEED v4.1

Industriparkett Design XL Anrökt Ek Hårdvaxolja

supplied by
Almedals Trägolvsaktiebolag

RISE Research Institutes of Sweden AB received from Almedals Trägolvsaktiebolag a product sample which is representative of the manufactured product. It has been tested in accordance with relevant test method (CDPH 1.2 (2017)), see test report O100785-1202844-4, dated 2023-11-30. The product Industriparkett Design XL Anrökt Ek Hårdvaxolja is judged to emit less than or equal to the tested product.

The test results of the tested product prove that the product qualifies for **LEED v4.1 EQ Credit “Low-Emitting Materials”** specifications on VOC emissions evaluation requirements by complying with:

The VOC emission is tested by CDPH (California Department of Public Health) method 1.2 (2017) and is determined compliant:

Compound	Test results after 14 days	Criteria
TVOC	0.018 mg/m ³ (Private Office)	0.5 mg/m ³ or less
	0.016 mg/m ³ (School Classroom)	0.5 mg/m ³ or less
Single VOC compounds found with defined CREL, according to Table 4-1 in DPH/EHLB/Standard Method V1.2. (January 2017), 35 compounds	Not detected any of the compounds with maximum allowable concentrations	

RISE Research Institutes of Sweden AB
Chemistry and Applied Mechanics- Chemical Product Safety

Maria Rådemar

RISE Research Institutes of Sweden AB

Postal address	Office location	Phone / Fax / E-mail
Box 857	Brinellgatan 4	+46 10 516 50 00
SE-501 15 BORÅS	SE-504 62 BORÅS	+46 33 13 55 02
Sweden		info@ri.se

This document may not be reproduced other than in full, except with the prior written approval of RISE.

Verification

Transaction 09222115557511750561

Document

**1248774-5 Industriparkett Design XL Anrökt Ek
Hårdvaxoljad CONF LEED v4-1**
Main document
1 page
*Initiated on 2024-02-28 13:09:34 CET (+0100) by Maria
Rådemar (MR)*
Finalised on 2024-02-28 13:09:35 CET (+0100)

Signatories

Maria Rådemar (MR)
RISE Research Institutes of Sweden AB
Company reg. no. 556464-6874
maria.rademar@ri.se
Signed 2024-02-28 13:09:35 CET (+0100)

This verification was issued by Scrive. Information in italics has been safely verified by Scrive. For more information/evidence about this document see the concealed attachments. Use a PDF-reader such as Adobe Reader that can show concealed attachments to view the attachments. Please observe that if the document is printed, the integrity of such printed copy cannot be verified as per the below and that a basic print-out lacks the contents of the concealed attachments. The digital signature (electronic seal) ensures that the integrity of this document, including the concealed attachments, can be proven mathematically and independently of Scrive. For your convenience Scrive also provides a service that enables you to automatically verify the document's integrity at: <https://scrive.com/verify>

